

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2238	TCP and @ad< "19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:19
L3	2238	TCP and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:19
L6	12	(US-4841526-\$ or US-5159592-\$ or US-5161194-\$ or US-5280625-\$ or US-5430709-\$ or US-5465331-\$ or US-5490252-\$ or US-5517618-\$ or US-5528587-\$ or US-5548723-\$ or US-5594490-\$ or US-5640504-\$).did.	USPAT	OR	OFF	2004/11/29 12:34
L7	9	I6 and encap\$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:38
L8	7	I6 and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:41
L9	6	I7 and I8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 12:41
L11	5	I6 and server\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 13:57
L12	5673	709/227-232.ccls. and 709/217-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:32
L13	5673	709/227-232.ccls. and 709/217-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 14:32

S1	2	(receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1 and @ad<"19940608" and tcp\$3	USPAT	OR	OFF	2004/07/30 10:20
S2	2	"6161141".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 08:54
S3	2	"5659350".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 13:40
S4	32	satellite\$1 near10 tcp\$4 near10 packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 08:55
S5	2	(satellite\$1 near10 tcp\$4 near10 packet\$1 ) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 13:54
S6	1793	satellite\$1 near10 packet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 13:43
S7	0	((satellite\$1 near10 packet\$1 ) and @ad<"19940608") and IP adj1 address\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 13:45
S8	6	((satellite\$1 near10 packet\$1 ) and @ad<"19940608") and IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 13:50
S9	8	direct\$6 near10 satellite\$1 near10 link\$1 near10 download\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 13:51
S10	0	(direct\$6 near10 satellite\$1 near10 link\$1 near10 download\$4) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:03

S11	0	"62189823".fref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:03
S12	2	"62189823"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:05
S13	551	(IP adj1 address\$4) and TCP and satellite\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:05
S14	1	((IP adj1 address\$4) and TCP and satellite\$1) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:08
S15	0	((download\$4 or (down adj1 load\$4)) near10 satellite\$1 and TCP\$4) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:13
S16	1	"6014378".PN.	USPAT	OR	OFF	2003/01/28 14:11
S17	3	"6161141".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:09
S18	2	((receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1) and @ad<"19940608") and TCP\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:14
S19	54	((receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:14
S20	54	(receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1 and @ad<"19940608"	USPAT	OR	OFF	2003/05/28 08:40
S21	11	TCP near10 IP near10 address\$4 and @ad<"19940604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:56

S22	2	"4841526".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/28 14:57
S23	187	assign\$4 near10 IP adj1 address\$3 near10 (provider\$1 or ISP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 09:46
S24	0	(assign\$4 near10 IP adj1 address\$3 near10 (provider\$1 or ISP)) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:23
S25	485	assign\$4 near10 address\$3 near10 (provider\$1 or ISP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:14
S26	9	(assign\$4 near10 address\$3 near10 (provider\$1 or ISP)) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:19
S27	0	(assign\$4 near10 IP adj1 address\$3 near10 (provider\$1 or ISP)) and @rlad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:16
S28	2	(assign\$4 near10 address\$3 near10 (provider\$1 or ISP)) and @rlad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:16
S29	1871	isp and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:41
S30	606	(isp and @ad<"19940608") and assign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:21
S31	0	((isp and @ad<"19940608") and assign\$4) and ISP near10 assign\$4 near10 address\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:21

S32	11687402	@ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:24
S33	31235	address\$4 near10 assign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:25
S34	12991	@ad<"19940608" and (address\$4 near10 assign\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:25
S35	0	ISP near10 @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:25
S36	221	ISP near10 (address\$4 near10 assign\$4 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:26
S37	0	(ISP near10 (address\$4 near10 assign\$4 )) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:26
S38	0	ISP same (address\$4 near10 assign\$4 ) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:26
S39	0	address\$4 near10 IP near10 dialup and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:27
S40	19	address\$4 near10 IP near10 given and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:40
S41	144	TCP\$4 near10 request\$4 near10 browser\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:41

S42	0	(TCP\$4 near10 request\$4 near10 browser\$1) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:44
S43	6084	request\$4 near10 browser\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 09:42
S44	9	(request\$4 near10 browser\$1) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 10:04
S45	4449	(HTTP or FTP) near10 request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 10:07
S46	7	((HTTP or FTP) near10 request\$4) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 10:12
S47	4204	(HTTP ) near10 request\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 10:07
S48	0	((HTTP ) near10 request\$4) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 10:07
S49	0	request\$4 near10 (web adj1 page\$1) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 10:13
S50	41	(web adj1 page\$1) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/29 10:13
S51	11690905	@ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 08:51

S52	2	satellite\$1 near10 tcp\$4 near10 packet\$1 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 09:40
S53	140	heterogeneous near10 resource\$1 and "709"/\$.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 09:41
S54	0	generat\$4 near10 TCP\$3 near10 request\$3 near10 browser\$1 and @ad<"19940601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 15:32
S55	2	"5995725".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 07:48
S56	0	"901152.an"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 07:49
S57	0	"08901152.an"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 07:49
S58	0	"08901152".an.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 07:49
S59	0	"901152".an.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 07:55
S60	10	transmit\$4 near10 packet\$1 near10 satellite\$1 near10 TCP\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 07:56
S61	2	transmit\$4 near10 packet\$1 near10 satellite\$1 near10 TCP\$4 and @ad<"19940601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 07:56



S62	0	(receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1 and @ad<"19940608" and browser\$1	USPAT	OR	OFF	2003/05/28 08:41
S63	0	(receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1 and @ad<"19940608" and dialup	USPAT	OR	OFF	2003/05/28 08:48
S64	4	transmit\$4 near10 request\$3 near10 receiv\$4 near10 packet\$1 near10 satellite\$1	USPAT	OR	OFF	2003/05/28 09:18
S65	0	request\$4 near10 packet\$2 near10 dial\$3 near10 browser\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 09:51
S66	2	"5534913".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 09:51
S67	2	avellino.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 11:10
S68	151	encapsulat\$4 near10 packet\$1 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 10:08
S69	14	encapsulat\$4 near10 packet\$1 and @ad<"19940608" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 10:41
S70	71	encapsulat\$4 near10 packet\$1 and @ad<"19940608" and "370"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 10:42
S71	9	encapsulat\$4 near10 packet\$1 near10 ip\$2 and @ad<"19940608" and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 10:42
S72	14	encapsulat\$4 near10 packet\$1 near10 ip\$2 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 11:39



S73	0	encapsulat\$6 near10 IP near10 packet\$1 same stack\$1 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 11:54
S74	1	encapsulat\$4 near10 packet\$4 near10 stack and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 08:55
S75	14	encapsulat\$4 near10 packet\$4 and @ad<"19940608" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:10
S76	2	encapsulat\$4 near10 packet\$4 near10 IP and @ad<"19940608" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:11
S77	2	encapsulat\$4 near10 packet\$4 near10 ethernet and @ad<"19940608" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:12
S78	2	\$2capsulat\$4 near10 packet\$4 near10 ethernet and @ad<"19940608" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:12
S79	14	\$2capsulat\$4 near10 packet\$4 and @ad<"19940608" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:13
S80	14	\$3capsulat\$4 near10 packet\$4 and @ad<"19940608" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:17
S81	0	\$3capsulat\$4 near10 packet\$4 near10 another and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 09:17
S82	12	\$3capsulat\$4 near10 packet\$4 near10 (IP ethernet) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 10:28

S83	18	ARP adj1 request\$4 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/29 10:28
S84	388	(receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1	USPAT	OR	OFF	2004/07/30 08:07
S85	11	(receiv\$4 or reciev\$4) near10 packet\$1 near10 satellite\$1 and @ad<"19940608" and dial\$4	USPAT	OR	OFF	2004/07/30 08:07
S86	0	\$3capsulat\$4 near10 packet\$4 near10 "another" and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:07
S87	10	protocol\$1 near10 (convert\$4 convers\$4) near10 IP\$2 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:07
S88	12	encapsulat\$6 near10 IP near10 packet\$1 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:07
S89	9	((isp and @ad<"19940608") and assign\$4) and ISP near10 assign\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:07
S90	156	encapsulat\$4 near10 packet\$4 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:08
S91	158	(download\$4 or (down adj1 load\$4)) near10 satellite\$1 and TCP\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:08
S92	382	(satellite\$1 near10 packet\$1 ) and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:08
S93	4	encapsulat\$4 near10 packet\$1 near10 TCP\$3 and @ad<"19940608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 08:08